
Patterning and Constructing the Brueghel "Vest"

Master Richard Wymarc



Detail from: Pieter Brueghel, The Elder: The Fall of Icarus, 1555-60, Brussels, Musees Royaux des Beaux-Arts de Belgique




Sources:

Pieter Brueghel, The Elder: Peasants Dancing, Parable of the Blind Men, The Wedding Dance, The Fall of Icarus, The Harvest.


Craft, Ruth. <u>Pieter Brueghel's The Fair.</u> Collins, 1975. ISBN 978-0001837195 Roberts-Jones, Philippe. <u>Pieter Bruegel.</u> Harry N. Abrams, 2002. ISBN 978-0810935310

Associated Clothing


- 1. Hosen
- 2. Shirt
 - Round/oval neck
 - Possibly slit sides
- 3. Coif
 - Men's coif has distinctive shape
- 4. Hats
 - Wide Variety
 - Often worn over coif
- 5. Belts
 - Not used to support clothing




Detail from: Pieter Brueghel, The Elder: The Harvest, New York, Metropolitan Museum of Art, 1565



Drafting the Brueghel "Vest"



- 1. Take measurements as shown and draw onto butcher paper or similar.
- 2. Mark the neck as shown. Adjust measurements to suit your neck size. Also, adjust the shoulder slope as needed to sit properly on your shoulders.
- 3. Add 1/2 inch seam allowance around the pattern. Note: If you do not want a back seam, do not add seam allowance to back center line, instead mark it as "FOLD"
- 4. Cut out the pattern pieces.
- 5. If you want a long version of the vest, adjust lower hem as desired.
- 6. If you want to add the pleated skirt, cut a piece of fabric as shown below.



Assembling the Brueghel "Vest"

Assembling the vest:

- 1. Lay out the pieces as shown and sew up the back seam (if there is one) and side seams. Do the same for the lining.
- 2. Iron the seams open. Then pin the vest and lining together wrong sides out.
- 3. At the four shoulder points, fold the fabric and lining back on themselves the width of your seam allowance, and pin.
- 4. Sew the vest and lining together as shown (thick lines). Leave the shoulders and 8 inches at the bottom un-sewn.
- 5. Clip the corners and curves and turn the vest right-side out through the bottom opening. Straighten and iron.
- 6. Sew up the bottom opening and sew the shoulders together, whip-stitching the exterior fabric first, then the lining.
- 7. If you want to add the pleated skirt, fold the skirt material in half width-wise and sew shut except for about 8". Clip corners and turn. Iron and sew up opening. This will give you a rectangle of finished fabric 3 times the measurement of the bottom of the vest.
- 8. Knife-pleat and pin the skirt; working from the center out to the ends.
- 9. Place the bottom hem of the vest along the sewn edge of the pleated skirt and whip-stitch securely together.
- 10. Add button-holes for points as needed: At neck and waist for closure, and around hem if needed to support hose.

